Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-419-3526

### Section Quantity:

1

Body Style:

Cylindrical bushing mounted

## **Reliability Indicator:**

Not established

#### **Overall Length:**

4.000 inches

#### **Body Diameter:**

1.156 inches

Shaft Diameter:

0.250 inches

Shaft Length:

3.375 inches

#### Mounting Bushing Length:

## 0.375 inches

**Body Length:** 

0.625 inches

#### Shaft Style:

Round, slotted

## Shaft Bearing Type:

Sleeve

#### Actuator Type:

Single shaft

#### Screw Thread Diameter:

0.375 inches

#### Screw Thread Series Designator:

Unef

#### Screw Thready Qty Per Inch (tpi):

32.0

# **Terminal Location:**

Radially positioned over less than half the circumference

## **Mounting Method:**

Standard bushing

# **Electrical Resistance Per Section:**

250.000 ohms single section

# Power Dissipation Rating Per Section In Watts:

0.083 free air single section

# Resistance Tolerance Per Section In Percent:

-10.0/+10.0 single section

# Terminal Type And Quantity:

3 tab, solder lug

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A002a0