## NSN 5905-00-433-1062

Thermal Resistor - Page 1 of 2

N/a



View Online at https://aerobasegroup.com/nsn/5905-00-433-1062

| Reliability Indicator:  |
|---|
| Not established   |
| Terminal Length:  |
| 1.375 inches  |
| Body Length:  |
| 0.594 inches  |
| Body Outside Diameter:  |
| 0.219 inches  |
| Terminal Diameter:  |
| 0.020 inches  |
| Ambient Tempurature At Full Rated Power:  |
|   |
| 25.0 degrees celsius Maximum Operating Temp:  |
|   |
| 150.0 degrees celsius   |
| Thermal Time Constant In Seconds:   |
| 35.0<br>Rever Dissinction Constant In Milliwotte Des Des Calaives   |
| Power Dissipation Constant In Milliwatts Per Deg Celsius:   |
| 5.0<br>Zero Bewer Tempurature Coefficient Of Registence In Percent Ber Der Coleius  |
| Zero Power Tempurature Coefficient Of Resistance In Percent Per Deg Celsius:  |
| -4.40   |
| Tempurature Points For Resistance Readings At Zero Power:   |
| 50.0 degrees celsius 4th resistance-temperature point   |
| Zero Power Resistance At Specificationified Temp:   |
| 190.0 ohms 6th resistance-temperature point   |
| Resistance Tolerance At A Specificationified Tempurature In Percent:  |
| -15.0/+15.0 all resistance-temperature points   |
| Inclosure Type:   |
| Uninclosed  |
| Zero Power Resistance:  |
| 10.000 kilohms  |
| Zero Power Resistance Tolerance In Percent At Reference Temp:   |
| -10.0/+10.0   |
| Special Features:   |
| Item must comply with requirements of defense supply center columbus  |
| Style Designator:   |
| Rod   |
| Terminal Type And Quantity:   |
| 2 wire lead   |
| Reference Number Differentiating Characteristics:   |
| Reference number differentiating material will be in accordance with naval inventory control point activity hx quality control. Manufacturing |
| and testing specifications available at the dla icp   |
| Shelf Life:   |

## NSN 5905-00-433-1062

Thermal Resistor - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A086a0

