NSN 5905-00-436-6183

Section Quantity:

Precision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-436-6183

Cylindrical bushing mounted
Reliability Indicator:
Not established
Overall Length:
1.438 inches
Body Diameter:
0.938 inches
Body Length:
0.688 inches
Actuator Type:
Single shaft
Effective Electrical Rotation In Deg Angular Rotation:
265.0
Maximum Running Torque:
5.00 inch-ounces
Maximum Stop Torque:
160.00 inch-ounces
Screw Thread Diameter:
0.375 inches
Screw Thread Series Designator:
Unef
Screw Thready Qty Per Inch (tpi):
32.0
Terminal Location:
Radially positioned over less than half the circumference
Mounting Method:
Mounting Method: Shaft
· ·
Shaft
Shaft Electrical Resistance Per Section:
Shaft Electrical Resistance Per Section: 5.000 kilohms single section
Shaft Electrical Resistance Per Section: 5.000 kilohms single section Rotary Actuator Travel In Angular Deg:
Shaft Electrical Resistance Per Section: 5.000 kilohms single section Rotary Actuator Travel In Angular Deg: 285.0
Shaft Electrical Resistance Per Section: 5.000 kilohms single section Rotary Actuator Travel In Angular Deg: 285.0 Power Dissipation Rating Per Section In Watts:
Shaft Electrical Resistance Per Section: 5.000 kilohms single section Rotary Actuator Travel In Angular Deg: 285.0 Power Dissipation Rating Per Section In Watts: 1.0 free air single section
Shaft Electrical Resistance Per Section: 5.000 kilohms single section Rotary Actuator Travel In Angular Deg: 285.0 Power Dissipation Rating Per Section In Watts: 1.0 free air single section Resistance Tolerance Per Section In Percent:
Shaft Electrical Resistance Per Section: 5.000 kilohms single section Rotary Actuator Travel In Angular Deg: 285.0 Power Dissipation Rating Per Section In Watts: 1.0 free air single section Resistance Tolerance Per Section In Percent: -10.0/+10.0 single section

Shaftw/panel seal and standard bushing

NSN 5905-00-436-6183

Precision Wire Wound Variable Resistor - Page 2 of 2



Terminal	Type	And	Quantity:
-----------------	------	-----	-----------

3 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0