NSN 5905-00-444-2570

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-444-2570

| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius: |
|---|
| -400.0 to 400.0 |
| Electrical Resistance: |
| 1.000 kilohms each resistor |
| Resistance Tolerance In Percent: |
| -0.500 to 0.500 each resistor |
| Ambient Tempurature In Deg Celsius At Full Rated Power: |
| -55.0 |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: |
| 85.0 |
| Inclosure Method: |
| Hermetically sealed |
| Terminal Quantity: |
| 12 |
| Terminal Type: |
| Pin |
| Reliability Indicator: |
| Established |
| Reliability Failure Rate Level In Percent: |
| 0.002 |
| Terminal Length: |
| 0.421 inches |
| Body Length: |
| 4.910 inches |
| Body Width: |
| 3.060 inches |
| Body Height: |
| 0.265 inches |
| Schematic Diagram Designator: |
| Series network |
| Power Dissipation Rating In Watts: |
| 4.500 total network |
| Identical Value Resistor Quantity: |
| 12 each resistor |
| Maximum Tempurature Coefficient Deviation In Ppm Per Deg Celsius: |
| 5.0 |
| Style Designator: |
| Single inline |
| Shelf Life: |
| N/a |
| Unit Of Massure: |

--

NSN 5905-00-444-2570

Film Fixed Resistor Network - Page 2 of 2



Demilitarization:

No

Fiig:

A001a0