NSN 5905-00-444-2575

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-444-2575

| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius: |
|---|
| -300.0 to 300.0 |
| Electrical Resistance: |
| 1.000 megohms each resistor |
| Resistance Tolerance In Percent: |
| -0.500 to 0.500 |
| Ambient Tempurature In Deg Celsius At Full Rated Power: |
| -55.0 |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: |
| 125.0 |
| Inclosure Method: |
| Hermetically sealed |
| Terminal Quantity: |
| 7 |
| Terminal Type: |
| Pin |
| Reliability Indicator: |
| Established |
| Reliability Failure Rate Level In Percent: |
| 0.001 |
| Terminal Length: |
| 0.844 inches |
| Body Length: |
| 3.969 inches |
| Body Width: |
| 2.844 inches |
| Body Height: |
| 1.469 inches |
| Schematic Diagram Designator: |
| Series network |
| Power Dissipation Rating In Watts: |
| 0.125 total network |
| Identical Value Resistor Quantity: |
| 7 each resistor |
| Maximum Tempurature Coefficient Deviation In Ppm Per Deg Celsius: |
| 5.0 |
| Maximum Tolerance Deviation In Percent: |
| -0.05/+0.05 |
| Style Designator: |
| Single inline |
| Shelf Life: |

N/a

NSN 5905-00-444-2575

Film Fixed Resistor Network - Page 2 of 2



| | | • • | | | |
|---|----|-----|-------------|----------|--|
| ш | ın | 10 | <i>(</i>)+ | Measure: | |
| | | | | | |

--

Demilitarization:

No

Fiig:

A001a0