NSN 5905-00-465-3313

Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-465-3313 **Section Quantity: Body Style:** Rectangular **Reliability Indicator:** Not established **Body Length:** 0.600 inches **Body Width:** 1.909 inches **Body Height:** 1.069 inches **Actuator Type:** Integral knob **Effective Electrical Rotation In Deg Angular Rotation:** 250.0 **End Application:** Aircraft stratolifter c-135, defense support program, support equipment for b-52 aircraft **Terminal Location:** Lower adjacent side single row **Mounting Method: Bracket Electrical Resistance Per Section:** 50.0 kilohms 3rd section **Rotary Actuator Travel In Angular Deg:** 290.0 **Power Dissipation Rating Per Section In Watts:** 0.75 free air all sections **Resistance Tolerance Per Section In Percent:** -20.0 to 20.0 all sections **Actuator Travel Control Feature:** Ambient Tempurature In Deg Celsius Per Section At Full Rated Power: 105.0 all sections **Standard Taper Curve Per Section:** A all sections **Special Features:** 3 separate knobs **Terminal Type And Quantity:** 9 tab, solder lug

N/a

Shelf Life:

NSN 5905-00-465-3313

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A002a0