Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-468-2915

### Section Quantity:

1

Body Style:

Rectangular

#### **Reliability Indicator:**

Not established

#### **Overall Length:**

0.200 inches

#### Overall Height:

0.680 inches

#### **Overall Width:**

0.594 inches

#### **Body Length:**

0.200 inches

#### Body Width:

### 0.594 inches

# Body Height:

0.680 inches

### Actuator Type:

Integral knob

#### Effective Electrical Rotation In Deg Angular Rotation:

290.0

#### **Terminal Location:**

Lower adjacent side two rows

#### **Mounting Method:**

Terminal

#### **Electrical Resistance Per Section:**

35.0 kilohms single section

#### **Rotary Actuator Travel In Angular Deg:**

290.0

### Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

105.0 single section

### Power Dissipation Rating Per Section In Watts:

0.4 free air single section

### **Resistance Tolerance Per Section In Percent:**

-30.0 to 30.0 single section

### Actuator Travel Control Feature:

Stops

### Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

70.0 single section

## Standard Taper Curve Per Section:

A single section



### Terminal Type And Quantity:

3 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

---

### Demilitarization:

No

Fiig:

A002a0