## NSN 5905-00-469-8853

Film Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-469-8853

Electrical Resistance: 1.40125 kilohms Resistance Tolerance In Percent: 1.0010/40.010 Ambient Tempurature In Deg Celsius At Full Rated Power: 185.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 175.0 Ambient Tempurature Range Of Tempurature Coefficient In Deg Celsius: 185.0/+175.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 2.295 inches Body Width: 2.325 inches Body Width: 2.320 inches Body Height: 0.100 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Terminals one edge Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: Nota Unit Of Measure:	Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
1.40125 kilohms Resistance Tolerance In Percent: -0.0104-0.010 Ambient Tempurature In Deg Celsius At Full Rated Power: 85.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 175.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.50/4-175.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.50/4-175.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 0.295 inches Body Wildth: 0.320 inches Body Height: 0.100 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Terminals one edge Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure:	-5.0/+5.0
Resistance Tolerance In Percent: -0.010/40.010 Ambient Tempurature In Deg Celsius At Full Rated Power: -0.55.04 -0.55.04 -0.55.07	Electrical Resistance:
Ambient Tempurature In Deg Celsius At Full Rated Power: 85.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 175.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 175.0/175.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 0.295 inches Body Width: 0.320 inches Body Width: 0.300 free air Style Designation: Terminals one edge Test Data Document: 172314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: W/a Unit Of Measure:	1.40125 kilohms
Ambient Tempurature In Deg Celsius At Full Rated Power:  85.0  Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:  175.0  Tempurature Range Of Tempurature Coefficient In Deg Celsius:  -55.0/+175.0  Inclosure Method:  Encapsulated  Terminal Type:  Wire lead  Reliability Indicator:  Note established  Body Length:  0.295 inches  Body Width:  0.320 inches  Body Width:  0.320 inches  Power Dissipation Rating In Watts:  0.330 free air  Style Designator:  Terminals one edge  Test Data Document:  172314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;  secludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life:  N/a  Unit Of Measure:	Resistance Tolerance In Percent:
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:  175.0  Tempurature Range Of Tempurature Coefficient In Deg Celsius:  175.0/+175.0  Inclosure Method:  Encapsulated  Terminal Type:  Wire lead  Reliability Indicator:  Not established  Body Length:  0.295 inches  Body Width:  0.320 inches  Body Height:  0.100 inches  Power Dissipation Rating In Watts:  0.300 free air  Style Designator:  Terminals one edge  Test Data Document:  72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Sheff Life:  N/a  Unit Of Measure:	-0.010/+0.010
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:  175.0  Tempurature Range Of Tempurature Coefficient In Deg Celsius:  -55.0/+175.0  Inclosure Method: Encapsulated  Terminal Type:  Wire lead  Reliability Indicator:  Not established  Body Length:  0.295 inches  Body Width:  0.390 inches  Body Width:  0.100 inches  Power Dissipation Rating In Watts:  0.300 free air  Style Designator:  Terminals one edge  Test Data Document:  72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc., excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life:  N/a  Unit Of Measure:	Ambient Tempurature In Deg Celsius At Full Rated Power:
Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+175.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 0.295 inches Body Width: 0.320 inches Body Height: 0.100 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Terminals one edge Ters Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure:	85.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:  155.0/+175.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 0.295 inches Body Width: 0.320 inches Body Width: 0.320 inches Body Height: 0.100 inches Power Dissipation Rating In Watts: 0.390 free air Style Designator: Terminals one edge Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure:	Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 0.295 inches Body Width: 0.3020 inches Body Height: 0.100 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Terminals one edge Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure:	175.0
Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 0.295 inches Body Width: 0.320 inches Body Height: 0.100 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Terminals one edge Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure:	Tempurature Range Of Tempurature Coefficient In Deg Celsius:
Encapsulated  Terminal Type:  Wire lead  Reliability Indicator:  Not established  Body Length: 0.295 inches  Body Width: 0.320 inches  Body Height: 0.100 inches  Power Dissipation Rating In Watts: 0.300 free air  Style Designator:  Terminals one edge  Test Data Document:  72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.: excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life:  N/a  Unit Of Measure:	-55.0/+175.0
Terminal Type:  Wire lead  Reliability Indicator:  Not established  Body Length: 0.295 inches  Body Width: 0.320 inches  Body Height: 0.100 inches  Power Dissipation Rating In Watts: 0.300 free air  Style Designator:  Terminals one edge  Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.: excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life:  N/a  Unit Of Measure:	Inclosure Method:
Wire lead  Reliability Indicator:  Not established  Body Length:  0.295 inches  Body Width:  0.320 inches  Body Height:  0.100 inches  Power Dissipation Rating In Watts:  0.300 free air  Style Designator:  Terminals one edge  Test Data Document:  72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life:  N/a  Unit Of Measure:	Encapsulated
Reliability Indicator:  Not established  Body Length:  0.295 inches  Body Width:  0.320 inches  Body Height:  0.100 inches  Power Dissipation Rating In Watts:  0.300 free air  Style Designator:  Terminals one edge  Test Data Document:  72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life:  N/a  Unit Of Measure:	Terminal Type:
Note established  Body Length:  0.295 inches  Body Width:  0.320 inches  Body Height:  0.100 inches  Power Dissipation Rating In Watts:  0.300 free air  Style Designator:  Terminals one edge  Test Data Document:  72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life:  N/a  Unit Of Measure:	Wire lead
Body Length:  0.295 inches  Body Width:  0.320 inches  Body Height:  0.100 inches  Power Dissipation Rating In Watts:  0.300 free air  Style Designator:  Terminals one edge  Test Data Document:  72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;  excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life:  N/a  Unit Of Measure:	Reliability Indicator:
Body Width: 0.320 inches Body Height: 0.100 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Terminals one edge Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.: excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure:	Not established
Body Width:  0.320 inches  Body Height:  0.100 inches  Power Dissipation Rating In Watts:  0.300 free air  Style Designator:  Terminals one edge  Test Data Document:  72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life:  N/a  Unit Of Measure:	Body Length:
0.320 inches  Body Height: 0.100 inches  Power Dissipation Rating In Watts: 0.300 free air  Style Designator:  Terminals one edge  Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life:  N/a  Unit Of Measure:	0.295 inches
Body Height: 0.100 inches  Power Dissipation Rating In Watts: 0.300 free air  Style Designator:  Terminals one edge  Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life:  N/a  Unit Of Measure:	Body Width:
D.100 inches  Power Dissipation Rating In Watts:  D.300 free air  Style Designator:  Terminals one edge  Test Data Document:  72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life:  N/a  Unit Of Measure:	0.320 inches
Power Dissipation Rating In Watts:  0.300 free air  Style Designator: Terminals one edge  Test Data Document:  72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life:  N/a  Unit Of Measure:	Body Height:
0.300 free air  Style Designator: Terminals one edge  Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life: N/a  Unit Of Measure:	0.100 inches
Style Designator: Terminals one edge Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure:	Power Dissipation Rating In Watts:
Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life: N/a Unit Of Measure:	0.300 free air
Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life: N/a Unit Of Measure:	Style Designator:
72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life:  N/a  Unit Of Measure:	Terminals one edge
excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life:  N/a  Unit Of Measure:	Test Data Document:
Shelf Life: N/a Unit Of Measure:	72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.
N/a Unit Of Measure: 	excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Unit Of Measure:	Shelf Life:
- <del>-</del>	N/a
	Unit Of Measure:
Domilitariestics.	
Deminitarization:	Demilitarization:
No	No
Fiig:	Fiig:
A001a0	A001a0