## NSN 5905-00-469-8854

Film Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-469-8854

-5.0/+5.0 Electrical Resistance: 100.000 kilohms Resistance Tolerance In Percent: -0.010/+0.010 Ambient Tempurature In Deg Celsius At Full Rated Power: 105.00 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 175.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 175.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+175.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Retiability Indicator: Not established Body Length: -1.190 inches Body Width: -0.520 inches Body Width: -0.520 inches Body Height: -0.245 inches Power Dissipation Rating In Watts: -0.3000 free air Style Designator: Terminals one edge Test Data Document: 723/14-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: No. Unit of Measure:	Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
Resistance Tolerance in Percent:	-5.0/+5.0
Resistance Tolerance in Percent: -0.010/+0.010 Ambient Tempurature in Deg Celsius At Full Rated Power: 85.0 Ambient Tempurature in Deg Celsius At Zero Percent Rated Power: 175.0 Tempurature Range Of Tempurature Coefficient in Deg Celsius: -55.0/+175.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.190 inches Body Width: 0.520 inches Body Width: 0.520 inches Body Height: 0.245 inches Power Dissipation Rating in Watts: 0.300 free air Style Designator: Terminals one edge Tests Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: No Unit Of Measure:	Electrical Resistance:
Ambient Tempurature In Deg Celsius At Full Rated Power: 85.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 175.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 175.0/175.0 Inclosure Method: Encapsulated Terminal Type: Wive lead Reliability Indicator: Not established Body Length: 1.190 inches Body Width: 0.520 inches Body Width: 0.520 inches Body Height: 0.245 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Terminals one edge Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.: excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure:	100.000 kilohms
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 85.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 175.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+175.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.190 inches Body Width: 0.245 inches Body Height: 0.245 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Terminals one edge Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure:	Resistance Tolerance In Percent:
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:  175.0  Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+175.0  Inclosure Method: Encapsulated  Terminal Type:  Wire lead Reliability Indicator: Not established Body Length: 1.190 inches Body Width: 0.520 inches Body Width: 0.520 inches Body Height: 0.245 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Terminals one edge Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.: excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure:	-0.010/+0.010
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:  175.0  Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+175.0  Inclosure Method: Encapsulated  Terminal Type:  Wire lead Reliability Indicator: Not established Body Length: 1.190 inches Body Width: 0.520 inches Body Width: 0.520 inches Body Height: 0.245 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Terminals one edge Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.: excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure:	Ambient Tempurature In Deg Celsius At Full Rated Power:
Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+175.0 Inclosure Method: Encapsulated Terminal Type: Write lead Reliability Indicator: Not established Body Length: 1.190 inches Body Width: 0.520 inches Body Width: 0.520 inches Body Height: 0.245 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Terminals one edge Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure:	85.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+175.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.190 inches Body Width: 0.520 inches Body Width: 0.520 inches Body Height: 0.245 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Terminals one edge Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.: excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure:	Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.190 inches Body Width: 0.520 inches Body Height: 0.245 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Terminals one edge Test Data Document: 772314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.: excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure:	175.0
Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.190 inches Body Width: 0.520 inches Body Height: 0.245 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Terminals one edge Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization:	Tempurature Range Of Tempurature Coefficient In Deg Celsius:
Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Length: 1.190 inches Body Width: 0.520 inches Body Height: 0.245 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Terminals one edge Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization:	-55.0/+175.0
Terminal Type: Wire lead  Reliability Indicator: Not established  Body Length: 1.190 inches  Body Width: 0.520 inches  Body Height: 0.245 inches  Power Dissipation Rating In Watts: 0.300 free air  Style Designator: Terminals one edge  Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.: excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life: N/a  Unit Of Measure: Demilitarization:	Inclosure Method:
Wire lead  Reliability Indicator:  Not established  Body Length:  1.190 inches  Body Width:  0.520 inches  Body Height:  0.245 inches  Power Dissipation Rating In Watts:  0.300 free air  Style Designator:  Terminals one edge  Test Data Document:  72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.: excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	Encapsulated
Reliability Indicator:  Not established  Body Length:  1.190 inches  Body Width:  0.520 inches  Body Height:  0.245 inches  Power Dissipation Rating In Watts:  0.300 free air  Style Designator:  Terminals one edge  Test Data Document:  72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life:  N/a  Unit Of Measure:  Demillitarization:	Terminal Type:
Note established  Body Length:  1.190 inches  Body Width:  0.520 inches  Body Height:  0.245 inches  Power Dissipation Rating In Watts:  0.300 free air  Style Designator:  Terminals one edge  Test Data Document:  72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life:  N/a  Unit Of Measure:  Demilitarization:	Wire lead
Body Length:  1.190 inches  Body Width:  0.520 inches  Body Height:  0.245 inches  Power Dissipation Rating In Watts:  0.300 free air  Style Designator:  Terminals one edge  Test Data Document:  72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	Reliability Indicator:
1.190 inches  Body Width: 0.520 inches  Body Height: 0.245 inches  Power Dissipation Rating In Watts: 0.300 free air  Style Designator:  Terminals one edge  Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life:  N/a  Unit Of Measure:  Demilitarization:	Not established
Body Width:  0.520 inches  Body Height: 0.245 inches  Power Dissipation Rating In Watts: 0.300 free air  Style Designator:  Terminals one edge  Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life:  N/a  Unit Of Measure:  Demilitarization:	Body Length:
Body Height: 0.245 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Terminals one edge Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure:	1.190 inches
Body Height:  0.245 inches  Power Dissipation Rating In Watts:  0.300 free air  Style Designator:  Terminals one edge  Test Data Document:  72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	Body Width:
0.245 inches  Power Dissipation Rating In Watts: 0.300 free air  Style Designator:  Terminals one edge  Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.: excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life: N/a  Unit Of Measure:  Demilitarization:	0.520 inches
Power Dissipation Rating In Watts: 0.300 free air Style Designator: Terminals one edge Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization:	Body Height:
O.300 free air  Style Designator: Terminals one edge  Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life: N/a Unit Of Measure: Demilitarization:	0.245 inches
Style Designator: Terminals one edge Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization:	Power Dissipation Rating In Watts:
Terminals one edge  Test Data Document:  72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	0.300 free air
Test Data Document: 72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life: N/a Unit Of Measure: Demilitarization:	Style Designator:
72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	Terminals one edge
excludes any specification, standard or other document that may be referenced in a basic governing drawing)  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	Test Data Document:
Shelf Life:  N/a  Unit Of Measure:   Demilitarization:	72314-1203-85 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.
N/a Unit Of Measure: Demilitarization:	excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Unit Of Measure:  Demilitarization:	Shelf Life:
 Demilitarization:	N/a
	Unit Of Measure:
	Demilitarization:
No	No
Fiig:	Fiig:
A001a0	A001a0