## NSN 5905-00-471-4592

N/a

Noninductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-471-4592

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-20.0/+20.0
Electrical Resistance:
0.330 ohms
Resistance Tolerance In Percent:
-5.000/+5.000
Ambient Tempurature In Deg Celsius At Full Rated Power:
40.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
350.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0/+350.0
Inclosure Method:
Encapsulated
Terminal Type:
Tab, solder lug
Reliability Indicator:
Not established
Terminal Length:
0.500 inches
Body Length:
2.000 inches
Body Width:
0.750 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
2.750 inches
Power Dissipation Rating In Watts:
40.000 heat sink
Terminal Width:
0.250 inches
End Application:
Phoenix air to air (aim-54) missle. Yellowstone class ad-41, tarawa class lha, emory s. Land class as.
Mounting Hole Size:
0.196 inches
Criticality Code Justification:
Feat
Special Features:
Weapon system essential
Style Designator:
Terminals one edge
Shelf Life:

## NSN 5905-00-471-4592

Noninductive Wire Wound Fixed Resistor - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A001a0