NSN 5905-00-471-5096

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-471-5096

Section Overtity
Section Quantity:
Body Style:
Rectangular w/mounting holes
Reliability Indicator:
Not established
Overall Length:
0.410 inches
Overall Height:
0.375 inches
Overall Width:
0.150 inches
Mounting Hole Diameter:
Between 0.062 inches and 0.065 inches
Shaft Diameter:
0.035 inches
Shaft Length:
0.050 inches
Body Length:
0.375 inches
Body Width:
0.150 inches
Body Height:
0.375 inches
Shaft Style:
Round, slotted
Actuator Type:
Single shaft
Lateral Distance Between Mounting Hole Centers:
0.419 inches
Mounting Facility Quantity:
2
Terminal Location:
Rear end
Mounting Method:
Unthreaded hole
Electrical Resistance Per Section:
500.000 ohms single section
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
125.0 single section
Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:

-50.0 to 50.0 single section

NSN 5905-00-471-5096

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Power	Dissipa	ation R	ating	Per	Section	In	Watts:
-------	---------	---------	-------	-----	---------	----	--------

1.0 free air single section

Resistance Tolerance Per Section In Percent:

-5.0 to 5.0 single section

Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

50.0 single section

Standard Taper Curve Per Section:

A single section

Terminal Type And Quantity:

3 wire lead

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A002a0