NSN 5905-00-477-8132

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-477-8132

Section Quantity:
Body Style:
Rectangular
Reliability Indicator:
Not established
Thread Length:
0.380 inches
Mounting Hole Diameter:
Between 0.086 inches and 0.093 inches
Shaft Diameter:
0.086 inches
Shaft Length:
0.500 inches
Body Length:
1.265 inches
Body Width:
0.295 inches
Body Height:
0.325 inches
Shaft Style:
Round, threaded
Actuator Type:
Single shaft
Longitudinal Actuator Travel:
0.437 inches
Longitudinal Actuator Effective Electrical Stroke Length:
0.407 inches
Mounting Facility Quantity:
2
Terminal Location:
Rear end
Mounting Method:
Unthreaded hole
Electrical Resistance Per Section:
5.0 kilohms single section
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
175.0 single section
Power Dissipation Rating Per Section In Watts:
0.8 free air single section
Posistance Tolerance Per Section In Percent:

-5.0 to 5.0 single section

NSN 5905-00-477-8132

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Tempurature Coefficient Of Resistance Wire Per Section In Ppm Per Deg Ce	Isius:
--	--------

-20.0 to 20.0 single section

Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

70.0 single section

Standard Taper Curve Per Section:

A single section

Terminal Type And Quantity:

3 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0