NSN 5905-00-479-9951

Film Fixed Resistor - Page 1 of 2



View Online at https://gorahagagraup.com/pap/E00E.00.470.00E4
View Online at https://aerobasegroup.com/nsn/5905-00-479-9951
Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-50.0/+50.0 first temp coefficient
Electrical Resistance:
200.000 kilohms
Resistance Tolerance In Percent:
-1.000/+1.000
Ambient Tempurature In Deg Celsius At Full Rated Power:
125.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
175.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0/+175.0 temp range of first temp coefficient
Inclosure Method:
Encapsulated
Terminal Type:
Wire lead
Mil-std-1276 Wire Lead Type Designator:
C
Reliability Indicator:
Established
Reliability Failure Rate Level In Percent:
0.001
Terminal Length:
1.500 inches
Body Diameter:
0.125 inches
Body Length:
0.375 inches
Power Dissipation Rating In Watts:
0.125 free air
Style Designator:
Axial terminal each end
Test Data Document:
81349-81349-mil-prf-55182 specification specification (includes engineering type bulletins, brochures, etc., that reflect specification type
data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data
on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-81349-mil-prf-55182/3 government specification government specification
Shelf Life:
N/a
Unit Of Measure:

No

Demilitarization:

NSN 5905-00-479-9951

Film Fixed Resistor - Page 2 of 2



Fiig:

A001a0

Mil-std (military Standard):

Mil-prf-55182 spec.