

View Online at <https://aerobasegroup.com/nsn/5905-00-480-3057>

Electrical Resistance:

20.0 kilohms and 50.0 kilohms and 101.0 kilohms and 10.0 kilohms and 17.6 kilohms and 27.0 kilohms and 48.1 kilohms

Resistance Tolerance In Percent:

-10.0/+10.0 and -10.0/+10.0 and -0.1/+0.1 and -5.0/+5.0 and -0.1/+0.1 and -5.0/+5.0 and -0.1/+0.1

Terminal Quantity:

70

Overall Length:

6.000 inches

Overall Height:

0.570 inches

Overall Width:

4.500 inches

Resistor Power Dissipation Rating In Watts:

0.75 and 0.75 and 0.125 and 0.5 and 0.125 and 0.5 and 0.125

Mounting Method:

Printed circuit terminal

Actuator Type:

Single shaft

Component Quantity:

8 and 8 and 8 and 4 and 4 and 4 and 4

Usage Design:

Network coupler

Component Controlling Agency:

General electric co.

Component Name:

Variable resistor; variable resistor; fixed resistor; fixed resistor; fixed resistor; fixed resistor; fixed resistor

Component Identifying Number:

77d605617 drawing no.

Assembly Construction Method:

Mounted on printed circuit board

Component Relationship:

Not matched

Precious Material And Location:

Contact finger surfaces gold

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T172-f