NSN 5905-00-482-9580

Film Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-482-9580

Electrical Resistance: 2.370 kilohms Resistance Tolerance In Percent: 0.250/40.250 Ambient Tempurature In Deg Celsius At Full Rated Power: 400.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 175.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Temp
Resistance Tolerance In Percent: 0.250/+0.250 Ambient Tempurature In Deg Celsius At Full Rated Power: 10.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 175.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 175.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 175.0/+125.0 Inclosure Method: Incapsulated Terminal Type: Wire lead Rody Length: 1.295 inches Rody Height: 1.300 inches Rody Height: 1.010 inches Rody Height: 1.010 inches Rody Designator: Terminals one edge Test Data Document: 19344-ps70044 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
Resistance Tolerance In Percent: 0.250/+0.250 Ambient Tempurature In Deg Celsius At Full Rated Power: 0.00 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 175.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of
Ambient Tempurature In Deg Celsius At Full Rated Power: 30.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 175.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Tempurature Range Of Tempurature
Ambient Tempurature In Deg Celsius At Full Rated Power: 10.00 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 10.00 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 10.50.0/+125.0 Tempurature Method: 10.00 Inclosure Method: 10.00 Inclosur
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 175.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Body Length: 0.295 inches Body Width: 0.320 inches Body Height: 0.100 inches Power Dissipation Rating In Watts: 1.300 free air Style Designator: Terminals one edge Test Data Document: 19344-ps70044 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 175.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Body Length: 0.295 inches Body Width: 0.320 inches Body Height: 0.100 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Terminals one edge Test Data Document: 19344-ps70044 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
Trempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Body Length: 0.295 inches Body Witth: 0.320 inches Body Height: 0.100 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Ferminals one edge Fest Data Document: 199344-ps70044 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+125.0 Inclosure Method: Encapsulated Terminal Type: Wire lead 3ody Length: 0.295 inches 3ody Width: 0.320 inches 3ody Height: 0.100 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Terminals one edge Test Data Document: 199344-ps70044 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.)
55.0/+125.0 nclosure Method: Encapsulated Ferminal Type: Wire lead 3ody Length: 0.295 inches 3ody Width: 0.320 inches 3ody Height: 0.100 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Ferminals one edge Fest Data Document: 09344-ps70044 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
Inclosure Method: Encapsulated Ferminal Type: Wire lead Body Length: 0.295 inches Body Width: 0.320 inches Body Height: 0.100 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Ferminals one edge Fest Data Document: 09344-ps70044 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
Forminal Type: Wire lead Body Length: 0.295 inches Body Width: 0.320 inches Body Height: 0.100 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Ferminals one edge Foest Data Document: 09344-ps70044 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
Ferminal Type: Wire lead Body Length: 0.295 inches Body Width: 0.320 inches Body Height: 0.100 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Ferminals one edge Fest Data Document: 09344-ps70044 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
Wire lead 3ody Length: 0.295 inches 3ody Width: 0.320 inches 3ody Height: 0.100 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Ferminals one edge Fest Data Document: 109344-ps70044 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
Body Length: 0.295 inches Body Width: 0.320 inches Body Height: 0.100 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Ferminals one edge Fest Data Document: 09344-ps70044 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
2.295 inches Body Width: 2.320 inches Body Height: 2.100 inches Power Dissipation Rating In Watts: 2.300 free air Style Designator: Ferminals one edge Fest Data Document: 2.9344-ps70044 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
Body Width: 0.320 inches Body Height: 0.100 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Ferminals one edge Fest Data Document: 09344-ps70044 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
0.320 inches Body Height: 0.100 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Ferminals one edge Fest Data Document: 09344-ps70044 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
Body Height: 0.100 inches Power Dissipation Rating In Watts: 0.300 free air Style Designator: Ferminals one edge Fest Data Document: 09344-ps70044 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
Power Dissipation Rating In Watts: 0.300 free air Style Designator: Terminals one edge Test Data Document: 09344-ps70044 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
Power Dissipation Rating In Watts: 0.300 free air Style Designator: Ferminals one edge Fest Data Document: 09344-ps70044 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
0.300 free air Style Designator: Ferminals one edge Fest Data Document: 19344-ps70044 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
Style Designator: Ferminals one edge Fest Data Document: 19344-ps70044 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
Terminals one edge Test Data Document: 19344-ps70044 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
Test Data Document: 09344-ps70044 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
9344-ps70044 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Shelf Life:
N/a
Jnit Of Measure:
-
Demilitarization:
No
Filg:
A001a0