Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-483-1631

## Section Quantity:

1

Body Style:

Cylindrical

### **Reliability Indicator:**

Not established

#### **Overall Length:**

0.632 inches

#### Body Diameter:

0.594 inches

#### **Body Length:**

0.320 inches

#### Actuator Type:

Flush drive with slot-hole

#### Effective Electrical Rotation In Deg Angular Rotation:

230.0

### Terminal Location:

Rear end

### Mounting Method:

Terminal

#### **Electrical Resistance Per Section:**

15.0 kilohms single section

#### Rotary Actuator Travel In Angular Deg:

290.0

## Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

85.0 single section

## Power Dissipation Rating Per Section In Watts:

0.25 free air single section

## **Resistance Tolerance Per Section In Percent:**

-20.0 to 20.0 single section

## Actuator Travel Control Feature:

Stops

## Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

70.0 single section

# Standard Taper Curve Per Section:

A single section

## Terminal Type And Quantity:

3 tab, solder lug

Shelf Life:

N/a

## Unit Of Measure:

---



Demilitarization:

No

Fiig:

A002a0