Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-483-4117

# Section Quantity:

1

Body Style:

Cylindrical

# Reliability Indicator:

Not established

#### **Body Diameter:**

0.594 inches

#### **Body Length:**

0.156 inches

#### Actuator Type:

Integral knob

## Effective Electrical Rotation In Deg Angular Rotation:

260.0

#### **Terminal Location:**

Radially positioned over less than half the circumference

# Mounting Method:

Terminal

## **Electrical Resistance Per Section:**

50.0 kilohms single section

## Rotary Actuator Travel In Angular Deg:

260.0

#### Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

85.0 single section

# Power Dissipation Rating Per Section In Watts:

0.125 free air single section

#### **Resistance Tolerance Per Section In Percent:**

-30.0 to 30.0 single section

# Actuator Travel Control Feature:

Stops

# Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

55.0 single section

# Standard Taper Curve Per Section:

A single section

# Terminal Type And Quantity:

3 tab, solder lug

Shelf Life:

N/a

# Unit Of Measure:

--

## Demilitarization:

No

# NSN 5905-00-483-4117 Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



**Fiig:** A002a0