Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-496-1757

### Section Quantity:

1

Body Style:

Rectangular

### **Reliability Indicator:**

Not established

#### **Overall Length:**

0.277 inches

#### **Overall Height:**

0.570 inches

#### **Overall Width:**

0.394 inches

#### Body Length:

0.177 inches

#### Body Width:

0.394 inches

# Body Height:

0.413 inches

## Actuator Type:

Flush drive with slot-hole

#### Effective Electrical Rotation In Deg Angular Rotation:

240.0

#### **Terminal Location:**

Rear end

#### **Mounting Method:**

Terminal

#### **Electrical Resistance Per Section:**

4.7 kilohms single section

#### **Rotary Actuator Travel In Angular Deg:**

240.0

### Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

70.0 single section

### Power Dissipation Rating Per Section In Watts:

0.1 free air single section

### **Resistance Tolerance Per Section In Percent:**

-20.0 to 20.0 single section

### Actuator Travel Control Feature:

Stops

### Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

40.0 single section

### Standard Taper Curve Per Section:

A single section



### Terminal Type And Quantity:

3 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A002a0