

View Online at https://aerobasegroup.com/nsn/5905-00-500-9792

### Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-400.0 to 400.0

#### **Electrical Resistance:**

16.000 ohms

#### **Resistance Tolerance In Percent:**

-5.000 to 5.000

#### Ambient Tempurature In Deg Celsius At Full Rated Power:

#### 25.0

#### Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

350.0

#### Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0 to 350.0

#### **Inclosure Method:**

Encapsulated

#### Terminal Type:

Tab, solder lug

# Reliability Indicator:

# Not established

**Terminal Length:** 

#### 0.407 inches

#### **Body Length:**

4.750 inches

#### Body Width:

1.187 inches

#### Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

5.500 inches

#### **Power Dissipation Rating In Watts:**

68.000 free air

#### Err Default:

0.218 inches

#### **Mounting Hole Size:**

0.196 inches

## Style Designator:

Terminals one edge

## Test Data Document:

81349-mil-r-26 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## Shelf Life:

N/a

#### Unit Of Measure:

---

# Demilitarization:

No

# NSN 5905-00-500-9792

Inductive Wire Wound Fixed Resistor - Page 2 of 2

Fiig: A001a0

