NSN 5905-00-502-3348

Inductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-502-3348 **Electrical Resistance:** 1.860 ohms **Resistance Tolerance In Percent:** -10.000/+10.000 **Fixed Tap Quantity:** Ambient Tempurature In Deg Celsius At Full Rated Power: 50.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 375.0 **Inclosure Method:** Encapsulated **Terminal Type:** Tab, solder lug **Reliability Indicator:** Not established **Terminal Length:** 1.875 inches **Body Diameter:** 2.000 inches **Body Length:** 14.938 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 16.188 inches **Power Dissipation Rating In Watts:** 1030.000 free air **Terminal Width:** 0.500 inches **Section Resistance:** 0.620 ohms **Fixed Tap Terminal Type:** Tab, solder lug **Style Designator:** Radial terminal each end **Test Data Document:** 81349-mil-r-15109 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Specification Or Standard:** lw form Shelf Life:

N/a

Unit Of Measure:

NSN 5905-00-502-3348

Inductive Wire Wound Fixed Resistor - Page 2 of 2



_						
11	em)	 tor	172	+ 1	nn	

No

Fiig:

A001a0

Mil-std (military Standard):

Mil-r-15109 spec.