

View Online at https://aerobasegroup.com/nsn/5905-00-502-8367

### Section Quantity:

1

Body Style:

Cylindrical bushing mounted

### **Reliability Indicator:**

Not established

#### **Overall Length:**

1.187 inches

#### Body Diameter:

1.062 inches

Shaft Diameter:

0.250 inches

Shaft Length:

0.625 inches

#### Mounting Bushing Length:

### 0.500 inches

**Body Length:** 

0.562 inches

Shaft Style:

Round, slotted

Shaft Bearing Type:

Bearing

#### Actuator Type:

Single shaft

#### Nonturn Device Location:

At 9 oclock

#### **Nonturn Device Radius:**

0.531 inches

#### Screw Thread Diameter:

0.375 inches

### Screw Thread Series Designator:

Unef

## Screw Thready Qty Per Inch (tpi):

32.0

## Mounting Method:

Locking bushing

## **Electrical Resistance Per Section:**

50.000 kilohms single section

# Power Dissipation Rating Per Section In Watts:

2.0 free air single section

### Function Conformity Per Section:

Single section independent linearity



**Resistance Tolerance Per Section In Percent:** 

-10.0 to 10.0 single section

Standard Taper Curve Per Section:

A single section

Terminal Type And Quantity:

3 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A002a0