## NSN 5905-00-514-1975

**Electrical Resistance:** 

-5.000/+5.000 each resistor

50.000 kilohms lowest resistance value Resistance Tolerance In Percent:

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-514-1975

Ambient Tempurature In Deg Celsius At Full Rated Power:

Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

105.0
Inclosure Method:
Hermetically sealed
Terminal Quantity:
16
Terminal Type:
Tab, solder lug
Reliability Indicator:
Not established
Terminal Length:
Between 0.080 inches and 0.150 inches
Body Length:
Between 0.784 inches and 0.876 inches
Body Width:
Between 0.240 inches and 0.305 inches
Body Height:
0.200 inches
Schematic Diagram Designator:
Ladder network
Power Dissipation Rating In Watts:
0.250 total network
Terminal Width:
Between 0.015 inches and 0.022 inches
Identical Value Resistor Quantity:
6 highest resistance value
Unpackaged Unit Weight:
5.0 grams
Style Designator:
Dual inline
Test Data Document:
22915-1r043 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Shelf Life:
N/a
Unit Of Measure:

## NSN 5905-00-514-1975

Film Fixed Resistor Network - Page 2 of 2



Demilitarization:

No

Fiig:

A001a0