NSN 5905-00-537-7175

Precision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-537-7175 **Section Quantity: Reliability Indicator:** Not established **Shaft Diameter:** 0.250 inches **Overall Diameter:** 2.000 inches **Shaft Style:** Round, slotted **Actuator Type:** Single shaft **Effective Electrical Rotation In Deg Angular Rotation:** 357.0 **Maximum Starting Torque:** 1.25 inch-ounces **Maximum Running Torque:** 0.50 inch-ounces **Mounting Facility Quantity: Mounting Method:** Unthreaded hole **Electrical Resistance Per Section:** 20.000 percent, rated amperes c and better industrial clears **Function Conformity Tolerance Per Section:** -0.50/+0.50 single section **Power Dissipation Rating Per Section In Watts:** 5.0 free air single section **Function Conformity Per Section:** Single section independent linearity **Resistance Tolerance Per Section In Percent:** -5.0/+5.0 2nd section Ambient Tempurature In Deg Celsius Per Section At Full Rated Power: 40.0 single section **Terminal Type And Quantity:** 6 tab, solder lug Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

NSN 5905-00-537-7175

Precision Wire Wound Variable Resistor - Page 2 of 2



Fiig:

A002a0