## NSN 5905-00-539-4778

**Fiig:** A001a0

Inductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-539-4778

| Electrical Resistance:   |
|--|
| 71.000 kilohms   |
| Resistance Tolerance In Percent:   |
| -5.000/+5.000  |
| Ambient Tempurature In Deg Celsius At Full Rated Power:  |
| 25.0   |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:  |
| 275.0  |
| Inclosure Method:  |
| Uninclosed   |
| Terminal Type:   |
| Tab, solder lug  |
| Reliability Indicator:   |
| Not established  |
| Terminal Length:   |
| 1.500 inches   |
| Body Length:   |
| 6.000 inches   |
| Body Width:  |
| 1.188 inches   |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:   |
| 6.750 inches   |
| Power Dissipation Rating In Watts:   |
| 63.000 free air  |
| Terminal Width:  |
| 0.266 inches   |
| Mounting Hole Size:  |
| 0.196 inches   |
| Style Designator:  |
| Terminals one edge   |
| Test Data Document:  |
| 81349-mil-r-26 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format |
| excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental        |
| and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  |
| Specification Data:  |
| 81349-mil-r-26/2 government specification  |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
| <del></del>  |
| Demilitarization:  |
| No   |