

View Online at <https://aerobasegroup.com/nsn/5905-00-552-8381>

Section Quantity:

1

Body Style:

Rectangular w/mounting holes/slots

Overall Length:

1.300 inches

Terminal Length:

Between 0.470 inches and 0.480 inches

Overall Height:

Between 0.825 inches and 0.840 inches

Overall Width:

Between 0.295 inches and 0.305 inches

Mounting Hole Diameter:

0.093 inches

Shaft Diameter:

0.115 inches

Shaft Length:

0.050 inches

Body Length:

1.250 inches

Body Width:

Between 0.295 inches and 0.305 inches

Body Height:

Between 0.355 inches and 0.360 inches

Shaft Style:

Round, slotted

Actuator Type:

Single shaft

Maximum Running Torque:

8.00 inch-ounces

Center To Center Distance Between Terminals:

0.700 inches

Lateral Distance Between Mounting Hole Centers:

1.000 inches

Mounting Facility Quantity:

2

Center To Center Distance Between Terminal Rows:

0.100 inches

Electrical Resistance Per Section:

50.000 kilohms single section

Rotary Actuator Travel In Angular Deg:

Between 7020.0 and 10080.0

Center To Center Distance Between Center Terminal And Outside Terminal:

0.300 inches

Ambient Temperature In Deg Celsius Per Section At Zero Percent Rated Power:

175.0 single section

Temperature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:

-100.0 to 100.0 single section

Power Dissipation Rating Per Section In Watts:

1.0 free air single section

Resistance Tolerance Per Section In Percent:

-10.0 to 10.0 single section

Actuator Travel Control Feature:

Clutch

Ambient Temperature In Deg Celsius Per Section At Full Rated Power:

85.0 single section

Standard Taper Curve Per Section:

A single section

Terminal Type And Quantity:

3 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0