## NSN 5905-00-556-6401



Inductive Wire Wound Fixed Resistor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5905-00-556-6401 **Electrical Resistance:** 1.870 ohms **Resistance Tolerance In Percent:** -10.000/+10.000 **Fixed Tap Quantity:** Ambient Tempurature In Deg Celsius At Full Rated Power: 50.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 425.0 **Inclosure Method:** Uninclosed **Terminal Type:** Tab, solder lug **Reliability Indicator:** Not established **Terminal Length:** 1.875 inches **Body Diameter:** 2.062 inches **Body Length:** 8.812 inches **Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:** 10.000 inches **Power Dissipation Rating In Watts:** 500.000 free air **Terminal Width:** 0.500 inches **Section Resistance:** 0.268 ohms **Fixed Tap Terminal Type:** Tab, solder lug **Style Designator:** Radial terminal each end **Test Data Document:** 81349-mil-r-15109 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Specification Data:**

81349-mil-r-15109 government specification

## **Specification Or Standard:**

Ew form

Shelf Life:

N/a

## NSN 5905-00-556-6401

Inductive Wire Wound Fixed Resistor - Page 2 of 2



Demilitarization:	
No	
Fiig:	
A001a0	

Mil-std (military Standard):

Mil-r-15109 spec.

**Unit Of Measure:**