NSN 5905-00-556-6401



Inductive Wire Wound Fixed Resistor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5905-00-556-6401 **Electrical Resistance:** 1.870 ohms **Resistance Tolerance In Percent:** -10.000/+10.000 **Fixed Tap Quantity:** Ambient Tempurature In Deg Celsius At Full Rated Power: 50.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 425.0 **Inclosure Method:** Uninclosed **Terminal Type:** Tab, solder lug **Reliability Indicator:** Not established **Terminal Length:** 1.875 inches **Body Diameter:** 2.062 inches **Body Length:** 8.812 inches **Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:** 10.000 inches **Power Dissipation Rating In Watts:** 500.000 free air **Terminal Width:** 0.500 inches **Section Resistance:** 0.268 ohms **Fixed Tap Terminal Type:** Tab, solder lug **Style Designator:** Radial terminal each end **Test Data Document:** 81349-mil-r-15109 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-r-15109 government specification

Specification Or Standard:

Ew form

Shelf Life:

N/a

NSN 5905-00-556-6401

Inductive Wire Wound Fixed Resistor - Page 2 of 2



Demilitarization:	
No	
Fiig:	
A001a0	

Mil-std (military Standard):

Mil-r-15109 spec.

Unit Of Measure: