Inductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-556-6576

#### **Electrical Resistance:**

0.530 ohms

**Resistance Tolerance In Percent:** 

-10.000/+10.000

Ambient Tempurature In Deg Celsius At Full Rated Power:

50.0

Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

425.0

**Inclosure Method:** 

Uninclosed

Terminal Type:

Tab, solder lug

Reliability Indicator:

Not established

**Terminal Length:** 

# 1.875 inches

Body Diameter:

2.062 inches

## Body Length:

11.812 inches

### Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

13.000 inches

**Power Dissipation Rating In Watts:** 

820.000 free air

#### **Terminal Width:**

0.500 inches

#### Style Designator:

Radial terminal each end

#### **Test Data Document:**

81349-mil-r-15109 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Specification Data:**

81349-mil-r-15109 government specification

#### **Specification Or Standard:**

Ew form

Shelf Life:

N/a

Unit Of Measure:

--

## Demilitarization:

No

Fiig:

A001a0



Mil-std (military Standard):

Mil-r-15109 spec.