Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-568-2233

# Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-100.0/+100.0

#### **Electrical Resistance:**

6.000 kilohms

#### **Resistance Tolerance In Percent:**

-2.000/+2.000

#### Ambient Tempurature In Deg Celsius At Full Rated Power:

#### 25.0

# Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

125.0

# Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0/+125.0

#### **Inclosure Method:**

Encapsulated

#### **Terminal Quantity:**

16

# Terminal Type:

Pin

#### **Reliability Indicator:**

Not established

### Terminal Length:

Between 0.125 inches and 0.150 inches

#### **Body Length:**

Between 0.784 inches and 0.876 inches

#### **Body Width:**

Between 0.240 inches and 0.305 inches

#### **Body Height:**

0.200 inches

#### Schematic Diagram Designator:

Ladder network

#### **Power Dissipation Rating In Watts:**

1.500 total network

#### **Cubic Measure:**

0.045 cubic inches

#### Identical Value Resistor Quantity:

15 each resistor

# Unpackaged Unit Weight:

1.5 grams

### Style Designator:

Dual inline

#### **Test Data Document:**

32562-471-1000 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

# NSN 5905-00-568-2233

Film Fixed Resistor Network - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A001a0