NSN 5905-00-573-5690

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-573-5690 **Section Quantity: Body Style:** Rectangular **Reliability Indicator:** Not established **Body Length:** 0.754 inches **Body Width:** 0.702 inches **Body Height:** 0.790 inches **Actuator Type:** Integral knob **Effective Electrical Rotation In Deg Angular Rotation:** 250.0 **Terminal Location:** Rear end **Mounting Method:** Tab **Electrical Resistance Per Section:** 200.000 kilohms single section **Rotary Actuator Travel In Angular Deg:** 290.0 Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power: 105.0 single section Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius: -250.0 to 250.0 single section **Power Dissipation Rating Per Section In Watts:** 0.25 free air single section **Resistance Tolerance Per Section In Percent:** -20.0 to 20.0 single section **Actuator Travel Control Feature:** Stops Ambient Tempurature In Deg Celsius Per Section At Full Rated Power: 70.0 single section **Standard Taper Curve Per Section:** A single section **Terminal Type And Quantity:** 3 tab, solder lug

N/a

Shelf Life:

NSN 5905-00-573-5690

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



| ш | ın | 10 | <i>(</i>)+ | Measure: | |
|---|----|----|-------------|----------|--|
| | | | | | |

--

Demilitarization:

No

Fiig:

A002a0