## NSN 5905-00-575-9525

**Section Quantity:** 

Cylindrical bushing mounted

Reliability Indicator:

Not established

Overall Length:
1.219 inches

Body Diameter:
0.938 inches

**Body Style:** 

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-575-9525

Shaft Diameter:
Between 0.248 inches and 0.252 inches
Shaft Length:
0.750 inches
Mounting Bushing Length:
Between 0.359 inches and 0.391 inches
Body Length:
0.469 inches
Overall Diameter:
1.250 inches
Shaft Style:
Round, slotted
Actuator Type:
Single shaft
Screw Thread Diameter:
0.375 inches
Screw Thread Series Designator:
Unef
Screw Thready Qty Per Inch (tpi):
32.0
Terminal Location:
Rear end
Mounting Method:
Standard bushing
Features Provided:
Nonmetallic shaft
Electrical Resistance Per Section:
600.000 ohms single section
Power Dissipation Rating Per Section In Watts:
5.0 free air single section
Resistance Tolerance Per Section In Percent:
-5.0/+5.0 single section

## NSN 5905-00-575-9525

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Terminal Type And Quantity:
3 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

Fiig:

A002a0