NSN 5905-00-578-9068

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-578-9068

Saction Quantity
Section Quantity:
Body Style:
Cylindrical hole/slot mounted
Reliability Indicator:
Not established
Body Diameter:
1.140 inches
Shaft Diameter:
0.250 inches
Shaft Length:
0.750 inches
Body Length:
0.214 inches
Mounting Hole/stud Circle Diameter:
0.625 inches
Shaft Style:
Round
Actuator Type:
Single shaft
Screw Thread Diameter:
0.164 inches
Screw Thread Series Designator:
Unc
Screw Thready Qty Per Inch (tpi):
32.0
Mounting Facility Quantity:
3
Terminal Location:
Rear end
Mounting Method:
Threaded hole
Electrical Resistance Per Section:
75.0 kilohms single section
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
125.0 single section
Power Dissipation Rating Per Section In Watts:
4.0 free air single section
Resistance Tolerance Per Section In Percent:
-10.0 to 10.0 single section
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
40.0 single section

NSN 5905-00-578-9068

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Standard Taper Curve Per Section
A single section
Terminal Type And Quantity:
3 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A002a0