NSN 5905-00-581-3633

Precision Wire Wound Variable Resistor - Page 1 of 3



•
View Online at https://aerobasegroup.com/nsn/5905-00-581-3633
Section Quantity:
1
Body Style:
Cylindrical servo mounted
Reliability Indicator:
Not established
Pilot Diameter:
0.7500 inches
Pilot Length:
0.0620 inches
Overall Length:
1.875 inches
Undercut Diameter:
1.820 inches
Undercut Width:
0.0620 inches
Body Diameter:
1.875 inches
Angle Of Mounting Hole In Deg:
90.0
Angle Between Centerlines Of Mounting Holes In Deg:
120.0
Shaft Diameter:
0.250 inches
Shaft Length:
0.563 inches
Body Length:
1.219 inches
Mounting Lip Diameter:
1.8750 inches
Mounting Lip Depth:
0.0620 inches
Mounting Hole/stud Circle Diameter:
1.250 inches
Shaft Style:
Round
Shaft Bearing Type:
Ball
Actuator Type:
Single shaft
Maximum Starting Torque:

1.50 inch-ounces

NSN 5905-00-581-3633

Precision Wire Wound Variable Resistor - Page 2 of 3



Maximum Running Torque:
1.00 inch-ounces
Shaft End Play:
0.002 inches
Shaft Runout:
0.001 inches
Lateral Runout:
0.002 inches
Pilot Diameter Runout:
0.00150 inches
Shaft Radial Play:
0.002 inches
Screw Thread Diameter:
0.164 inches
Screw Thread Series Designator:
Unc
Screw Thready Qty Per Inch (tpi):
32.0
Mounting Facility Quantity:
3
Terminal Location:
Radially positioned over more than half the circumference
Mounting Method:
Threaded hole
Electrical Resistance Per Section:
2.5 kilohms single section
Function Conformity Tolerance Per Section:
-0.15/+0.15 single section
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
105.0 single section
Power Dissipation Rating Per Section In Watts:
2.25 free air single section
Function Conformity Per Section:
Single section absolute linearity
Fixed Tap Quantity Per Section:
1 single section
Tap Location Tolerance Per Section:
-1.0/+1.0 ohms single section
Resistance Tolerance Per Section In Percent:
-5.0/+5.0 single section
Tap Location From Ccw Terminal Per Section In Ohms:
1250.0 single section
Function Characteristic Per Section:

Single section 360 degrees sine-cosine

NSN 5905-00-581-3633

Precision Wire Wound Variable Resistor - Page 3 of 3



Ambient Tempurature In Deg Ce	Isius Per Se	ection At Full	Rated Power:
-------------------------------	--------------	----------------	--------------

50.0 single section

Terminal Type And Quantity:

7 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0