## NSN 5905-00-581-6807

Film Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-581-6807

| Electrical Resistance: 422.000 ohms Resistance Tolerance In Percent: 4.1.000/+1.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 70.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 55.0/+150.0 Inclosure Method: Encapsulated Terminal Type: Wire lead |
|---|
| Resistance Tolerance In Percent: -1.000/+1.000 Ambient Tempurature In Deg Celsius At Full Rated Power: -70.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: -150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+150.0 Inclosure Method:   |
| Resistance Tolerance In Percent:  1.000/+1.000  Ambient Tempurature In Deg Celsius At Full Rated Power:  70.0  Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:  150.0  Tempurature Range Of Tempurature Coefficient In Deg Celsius:  55.0/+150.0  Inclosure Method:  Encapsulated  Terminal Type:                                       |
| Ambient Tempurature In Deg Celsius At Full Rated Power: 70.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 155.0/+150.0 Inclosure Method: Encapsulated Terminal Type:  |
| Ambient Tempurature In Deg Celsius At Full Rated Power: 70.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: 155.0/+150.0 Inclosure Method: Encapsulated Terminal Type:  |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:  150.0  Tempurature Range Of Tempurature Coefficient In Deg Celsius:  -55.0/+150.0  Inclosure Method:  Encapsulated  Terminal Type:   |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:  150.0  Tempurature Range Of Tempurature Coefficient In Deg Celsius:  155.0/+150.0  Inclosure Method:  Encapsulated  Terminal Type:   |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius:  55.0/+150.0  Inclosure Method:  Encapsulated  Terminal Type:  |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+150.0 Inclosure Method: Encapsulated Terminal Type:   |
| 55.0/+150.0 Inclosure Method: Encapsulated Terminal Type:   |
| nclosure Method:  Encapsulated  Terminal Type:  |
| Encapsulated  Terminal Type:  |
| Terminal Type:  |
|   |
| Vire lead   |
|   |
| Reliability Indicator:  |
| Not established   |
| Body Diameter:  |
| 0.375 inches  |
| Body Length:  |
| 1.062 inches  |
| Power Dissipation Rating In Watts:  |
| 1.000 free air  |
| Style Designator:   |
| Axial terminal each end   |
| Test Data Document:   |
| 31349-mil-r-10509 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification  |
| format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain   |
| environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).   |
| Specification Data:   |
| 31349-mil-r-10509/5 government specification  |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
| -   |
| Demilitarization:   |
| No  |
| Fiig:   |
| A001a0  |