Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-583-7082

Section	Quantity:

1

**Overall Height:** 

0.938 inches

**Overall Width:** 

0.750 inches

# Shaft Diameter:

0.125 inches

Shaft Length:

0.438 inches

## Mounting Bushing Length:

0.375 inches

Shaft Style:

#### Round, slotted

Shaft Bearing Type:

Bearing

# Actuator Type:

Single shaft

# Screw Thread Diameter:

0.250 inches

## **Screw Thread Series Designator:**

Unef

## Screw Thready Qty Per Inch (tpi):

32.0

#### Mounting Method:

Locking bushing

## **Electrical Resistance Per Section:**

10.000 kilohms single section

## **Power Dissipation Rating Per Section In Watts:**

1.5 free air single section

## **Function Conformity Per Section:**

Single section independent linearity

## **Resistance Tolerance Per Section In Percent:**

-5.0 to 5.0 single section

## Standard Taper Curve Per Section:

A single section

# **Terminal Type And Quantity:**

3 tab, solder lug

Shelf Life:

N/a

#### Unit Of Measure:

---

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Demilitarization:

No

Fiig:

A002a0