Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-583-7244

# Section Quantity:

1

Body Style:

Rectangular w/mounting holes/slots

# Reliability Indicator:

Not established

### **Overall Length:**

1.310 inches

### **Overall Height:**

0.310 inches

### **Overall Width:**

0.220 inches

### Mounting Hole Diameter:

0.087 inches

### Shaft Diameter:

# 0.100 inches

Shaft Length:

#### 0.060 inches

Body Length:

#### 1.250 inches

Body Width:

0.220 inches

#### Body Height:

0.310 inches

#### Shaft Style:

Round, slotted

Actuator Type:

Single shaft

#### Lateral Distance Between Mounting Hole Centers:

1.000 inches

#### **Mounting Facility Quantity:**

2

# Terminal Location:

Rear end

# Mounting Method:

Unthreaded hole

# **Electrical Resistance Per Section:**

25.0 kilohms single section

# Power Dissipation Rating Per Section In Watts:

1.0 free air single section

# Resistance Tolerance Per Section In Percent:

-5.0 to 5.0 single section



#### Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

70.0 single section

#### Standard Taper Curve Per Section:

A single section

#### Terminal Type And Quantity:

3 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

---

#### Demilitarization:

No

#### Fiig:

A002a0