## NSN 5905-00-583-8746

Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-583-8746 **Section Quantity: Body Style:** Rectangular **Reliability Indicator:** Not established **Body Length:** 0.281 inches **Body Width:** 0.562 inches **Body Height:** 0.766 inches **Actuator Type:** Integral knob **Effective Electrical Rotation In Deg Angular Rotation:** 300.0 **Terminal Location:** Lower adjacent side two rows **Mounting Method: Terminal Electrical Resistance Per Section:** 500.0 ohms single section **Rotary Actuator Travel In Angular Deg:** 300.0 Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power: 100.0 single section Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius: -1300.0 to 1300.0 single section **Power Dissipation Rating Per Section In Watts:** 0.333 free air single section **Resistance Tolerance Per Section In Percent:** -20.000 to 20.000 single section **Actuator Travel Control Feature:** Stops Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

60.0 single section

**Standard Taper Curve Per Section:** 

A single section

**Terminal Type And Quantity:** 

3 tab, solder lug

Shelf Life:

N/a

## NSN 5905-00-583-8746

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



		• -						
	In		Of	RЛ	മാ	CI	ır	Δ.
L	,,,			IVI	ca			

--

Demilitarization:

No

Fiig:

A002a0