NSN 5905-00-590-6095

Precision Wire Wound Variable Resistor - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5905-00-590-6095 **Section Quantity: Body Style:** Cylindrical servo mounted **Reliability Indicator:** Not established **Pilot Diameter:** Between 1.5520 inches and 1.5620 inches Pilot Length: 0.0620 inches **Undercut Diameter:** 1.562 inches **Undercut Width:** 0.0730 inches **Body Diameter:** 1.780 inches **Shaft Diameter:** Between 0.2495 inches and 0.2500 inches **Shaft Length:** 0.625 inches **Body Length:** 2.750 inches **Mounting Lip Diameter:** 1.7800 inches **Mounting Lip Depth:** 0.0930 inches **Shaft Style:** Round, slotted **Actuator Type:** Single shaft **Effective Electrical Rotation In Deg Angular Rotation: Maximum Starting Torque: Maximum Running Torque:**

1.60 inch-ounces 0.80 inch-ounces **Shaft End Play:** 0.00500 inches **Shaft Runout:** 0.0005 inches **Lateral Runout:** 0.0025 inches

NSN 5905-00-590-6095

Precision Wire Wound Variable Resistor - Page 2 of 3



Pilot Diameter Runout:
0.00100 inches
Shaft Radial Play:
0.0015 inches
Terminal Location:
Longitudinally positioned on the circumference
Mounting Method:
Clamp ring
Electrical Resistance Per Section:
5.0 kilohms all sections
Tap Location From Ccw Terminal Per Section In Deg Of Effective Electrical Rotation:
9.0 4th section and 268.0 4th section
Rotary Actuator Travel In Angular Deg:
360.0
Function Conformity Tolerance Per Section:
-1.00/+1.00 all sections
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
80.0 all sections
Power Dissipation Rating Per Section In Watts:
2.5 free air all sections
Function Conformity Per Section:
All sections terminal base linearity
Fixed Tap Quantity Per Section:
2 4th section
Tap Location Tolerance Per Section:
-1.0/+1.0 degrees angular rotation all sections
Resistance Tolerance Per Section In Percent:
-5.0/+5.0 all sections
Actuator Travel Control Feature:
Continuous motion
Function Characteristic Per Section:
All sections linear
Tempurature Coefficient Of Resistance Wire Per Section In Ppm Per Deg Celsius:
-20.0/+20.0 all sections
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
40.0 all sections
Terminal Type And Quantity:
17 turret
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

No

NSN 5905-00-590-6095

Precision Wire Wound Variable Resistor - Page 3 of 3



Fiig:

A002a0