

View Online at <https://aerobasegroup.com/nsn/5905-00-591-9811>

Section Quantity:

2

Body Style:

Rectangular w/tab/flange mounted

Reliability Indicator:

Not established

Thread Length:

1.100 inches

Mounting Hole Diameter:

0.177 inches

Shaft Diameter:

0.190 inches

Shaft Length:

1.460 inches

Body Length:

3.400 inches

Body Width:

1.040 inches

Body Height:

1.170 inches

Shaft Style:

Round, threaded

Actuator Type:

Single shaft

Longitudinal Actuator Travel:

1.300 inches

Longitudinal Actuator Effective Electrical Stroke Length:

1.300 inches

Distance Between Mounting Hole Centers:

0.660 inches

Lateral Distance Between Mounting Hole Centers:

3.000 inches

Mounting Facility Quantity:

3

Terminal Location:

Rear end

Mounting Method:

Unthreaded hole

Electrical Resistance Per Section:

50.0 percent, rated amperes c and better industrial clears

Function Conformity Tolerance Per Section:

-0.50/+0.50 all sections

Ambient Temperature In Deg Celsius Per Section At Zero Percent Rated Power:

150.0 all sections

Power Dissipation Rating Per Section In Watts:

0.25 free air all sections

Function Conformity Per Section:

All sections independent linearity

Resistance Tolerance Per Section In Percent:

-5.0/+5.0 2nd section

Function Characteristic Per Section:

All sections linear

Temperature Coefficient Of Resistance Wire Per Section In Ppm Per Deg Celsius:

-20.0/+20.0 all sections

Ambient Temperature In Deg Celsius Per Section At Full Rated Power:

125.0 all sections

Terminal Type And Quantity:

6 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0