NSN 5905-00-595-8823

Precision Wire Wound Variable Resistor - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5905-00-595-8823 **Section Quantity:** 1 **Body Style:** Cylindrical servo mounted **Reliability Indicator:** Not established **Pilot Diameter:** 0.8750 inches Pilot Length: 0.0620 inches **Undercut Diameter:** 0.97500 inches **Undercut Width:** 0.0620 inches **Body Diameter:** 1.062 inches **Shaft Diameter:** 0.250 inches **Shaft Length:** 0.500 inches **Body Length:** 0.625 inches **Mounting Lip Diameter:** 1.0620 inches **Mounting Lip Depth:** 0.0620 inches **Shaft Style:** Round **Shaft Bearing Type:** Ball **Actuator Type:** Double ended shaft **Effective Electrical Rotation In Deg Angular Rotation:** 352.0

Maximum Starting Torque: 0.25 inch-ounces **Maximum Running Torque:** 0.15 inch-ounces **Shaft End Play:** 0.005 inches **Shaft Runout:** 0.001 inches

NSN 5905-00-595-8823

Lateral Runout: 0.001 inches

0.00100 inches

Pilot Diameter Runout:

Precision Wire Wound Variable Resistor - Page 2 of 3



Shaft Radial Play:
0.001 inches
Terminal Location:
Radially positioned over more than half the circumference
Mounting Method:
Clamp ring
Features Provided:
Hermetically sealed
Electrical Resistance Per Section:
2.828 kilohms single section
Tap Location From Ccw Terminal Per Section In Deg Of Effective Electrical Rotation:
150.0 single section
Rotary Actuator Travel In Angular Deg:
360.0
Function Conformity Tolerance Per Section:
-1.00/+1.00 single section
Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:
-300.0/+300.0 single section
Power Dissipation Rating Per Section In Watts:
0.75 free air single section
Function Conformity Per Section:
Single section independent linearity
Fixed Tap Quantity Per Section:
1 single section
Tap Location Tolerance Per Section:
-2.0/+2.0 degrees angular rotation single section
Resistance Tolerance Per Section In Percent:
-5.0/+0.0 single section
Actuator Travel Control Feature:
Continuous motion
Function Characteristic Per Section:
Single section linear
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
125.0 single section
Terminal Type And Quantity:
4 turret
Shelf Life:
N/a
Unit Of Measure:

NSN 5905-00-595-8823

Precision Wire Wound Variable Resistor - Page 3 of 3



Demilitarization:

No

Fiig:

A002a0