NSN 5905-00-610-0551

Precision Wire Wound Variable Resistor - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5905-00-610-0551 **Section Quantity:** 1 **Body Style:** Cylindrical servo mounted **Reliability Indicator:** Not established **Pilot Diameter:** 1.8745 inches Pilot Length: 0.0620 inches **Overall Length:** 1.703 inches **Undercut Diameter:** 1.875 inches **Undercut Width:** 0.0620 inches **Body Diameter:** 2.093 inches **Shaft Diameter:** Between 0.249 inches and 0.250 inches **Shaft Length:** 0.750 inches **Body Length:** 0.938 inches **Overall Diameter:** 2.346 inches **Mounting Lip Diameter:** 1.9850 inches **Mounting Lip Depth:** 0.0620 inches **Shaft Style:** Round **Shaft Bearing Type:** Ball **Actuator Type:** Single shaft **Effective Electrical Rotation In Deg Angular Rotation:** 350.0 **Maximum Starting Torque:**

1.20 inch-ounces

Maximum Running Torque:

0.60 inch-ounces

NSN 5905-00-610-0551

Precision Wire Wound Variable Resistor - Page 2 of 3



Chaff End Blow
Shaft End Play:
0.005 inches
Shaft Runout:
0.001 inches
Lateral Runout:
0.002 inches
Pilot Diameter Runout:
0.0015 inches
Shaft Radial Play:
0.001 inches
Terminal Location:
Radially positioned over less than half the circumference
Mounting Method:
Clamp ring
Features Provided:
Nonmetallic shaft
Electrical Resistance Per Section:
10.0 kilohms single section
Rotary Actuator Travel In Angular Deg:
360.0
Function Conformity Tolerance Per Section:
-0.25/+0.25 single section
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
120.0 single section
Power Dissipation Rating Per Section In Watts:
2.8 free air single section
Function Conformity Per Section:
Single section absolute linearity
Resistance Tolerance Per Section In Percent:
-10.0/+10.0 all sections
Actuator Travel Control Feature:
Continuous motion
Function Characteristic Per Section:
Single section table
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
50.0 single section
Test Data Document:
10001-1578127 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
3 turret
Shelf Life:
N/a
Unit Of Measure:

-

NSN 5905-00-610-0551

Precision Wire Wound Variable Resistor - Page 3 of 3



_		••	• •				
וו	em	ш	112	rız	211	n	٠.

No

Fiig:

A002a0