

View Online at https://aerobasegroup.com/nsn/5905-00-610-0551

#### Section Quantity:

1

Body Style:

Cylindrical servo mounted

# **Reliability Indicator:**

Not established

#### **Pilot Diameter:**

1.8745 inches

#### **Pilot Length:**

0.0620 inches

#### **Overall Length:**

1.703 inches

#### Undercut Diameter:

1.875 inches

#### **Undercut Width:**

#### 0.0620 inches

**Body Diameter:** 

2.093 inches

#### Shaft Diameter:

Between 0.249 inches and 0.250 inches

#### Shaft Length:

0.750 inches

#### Body Length:

0.938 inches

#### **Overall Diameter:**

2.346 inches

#### Mounting Lip Diameter:

1.9850 inches

#### Mounting Lip Depth:

0.0620 inches

#### Shaft Style:

Round

# Shaft Bearing Type:

Ball

# Actuator Type:

Single shaft

# Effective Electrical Rotation In Deg Angular Rotation:

350.0

#### Maximum Starting Torque:

1.20 inch-ounces

### Maximum Running Torque:

0.60 inch-ounces



# Shaft End Play: 0.005 inches Shaft Runout: 0.001 inches Lateral Runout: 0.002 inches **Pilot Diameter Runout:** 0.0015 inches Shaft Radial Play: 0.001 inches **Terminal Location:** Radially positioned over less than half the circumference **Mounting Method:** Clamp ring **Features Provided:** Nonmetallic shaft **Electrical Resistance Per Section:** 10.0 kilohms single section **Rotary Actuator Travel In Angular Deg:** 360.0 **Function Conformity Tolerance Per Section:** -0.25/+0.25 single section Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power: 120.0 single section **Power Dissipation Rating Per Section In Watts:** 2.8 free air single section **Function Conformity Per Section:** Single section absolute linearity **Resistance Tolerance Per Section In Percent:** -10.0/+10.0 all sections **Actuator Travel Control Feature:** Continuous motion **Function Characteristic Per Section:** Single section table Ambient Tempurature In Deg Celsius Per Section At Full Rated Power: 50.0 single section **Test Data Document:** 10001-1578127 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Terminal Type And Quantity:** 3 turret Shelf Life:

# N/a

Unit Of Measure:

---



Demilitarization:

No

Fiig:

A002a0