

View Online at <https://aerobasegroup.com/nsn/5905-00-627-6918>

Electrical Resistance:

477.15 kilohms and 30.1 kilohms and 32.05 kilohms and 33.95 kilohms and 35.85 kilohms and 38.15 kilohms and 40.0 kilohms and 42.45 kilohms and 44.75 kilohms and 47.1 kilohms and 49.55 kilohms and 52.0 kilohms and 54.45 kilohms and 56.9 kilohms and 59.35 kilohms and 61.8 kilohms and 64.25 kilohms and 66.7 kilohms and 69.15 kilohms and 71.6 kilohms and 74.05 kilohms

Resistance Tolerance In Percent:

-0.1/+0.1

Terminal Quantity:

3

Terminal Type:

Tab, solder lug

Overall Length:

2.688 inches

Overall Height:

1.750 inches

Overall Width:

1.750 inches

Resistor Power Dissipation Rating In Watts:

0.33 and 0.1

Mounting Method:

Holes

Component Quantity:

21

Mounting Configuration:

Two

Component Controlling Agency:

General electric

Component Name:

Fixed wirewound resistor

Component Identifying Number:

7733291 drawing no.

Assembly Construction Method:

Encased in can

Electrical Connection Method:

Series

Component Relationship:

Not matched

Attenuator Type:

Variable

Special Features:

0.812 in. Nom flatted shaft for selecting resistor values

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fig:

T172-f