Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-630-6068

# Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-2.0 to 2.0

### **Electrical Resistance:**

10.000 kilohms lowest resistance value

# **Resistance Tolerance In Percent:**

-0.500 to 0.500

# Ambient Tempurature In Deg Celsius At Full Rated Power:

#### 60.0

# Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

125.0

# Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0 to 125.0

# **Inclosure Method:**

Encased

# **Terminal Quantity:**

5

Terminal Type:

Pin

# **Reliability Indicator:**

Not established

# **Terminal Length:**

1.000 inches

### **Body Length:**

0.810 inches

# **Body Width:**

0.150 inches

#### **Body Height:**

0.520 inches

# Schematic Diagram Designator:

Balanced ladder network

# **Power Dissipation Rating In Watts:**

1.500 each resistor

# **Identical Value Resistor Quantity:**

2 highest resistance value

# Maximum Tempurature Coefficient Deviation In Ppm Per Deg Celsius:

1.5

# Maximum Tolerance Deviation In Percent:

-0.20/+0.20

### Style Designator:

Single inline

### Shelf Life:

N/a

Film Fixed Resistor Network - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A001a0