NSN 5905-00-644-7625

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-644-7625

Section Quantity:
2
Body Style:
Cylindrical studs mounted
Body Diameter:
2.000 inches
Shaft Diameter:
0.250 inches
Shaft Length:
0.125 inches
Body Length:
1.156 inches
Mounting Hole/stud Circle Diameter:
1.250 inches
Shaft Style:
Round
Actuator Type:
Single shaft
Screw Thread Diameter:
0.138 inches
Screw Thread Series Designator:
Unc
Screw Thready Qty Per Inch (tpi):
32.0
Mounting Facility Quantity:
3
Mounting Method:
Threaded hole
Electrical Resistance Per Section:
60.000 ohms 2nd section
Power Dissipation Rating Per Section In Watts:
5.0 free air single section
Resistance Tolerance Per Section In Percent:
-10.0 to 10.0 all sections
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
Any acceptable
Standard Taper Curve Per Section:
A single section
Special Features:
0.216 in28thd tapped hole in shaft for mtg diameter knob incl dial endknob graduated from -30 through 0 to plus 30
Terminal Type And Quantity:

8 tab w/wire lead

NSN 5905-00-644-7625

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A002a0