NSN 5905-00-651-1642

Precision Wire Wound Variable Resistor - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5905-00-651-1642 **Section Quantity: Body Style:** Cylindrical servo mounted **Reliability Indicator:** Not established **Pilot Diameter:** 1.3120 inches Pilot Length: 0.0620 inches **Undercut Diameter:** 1.062 inches **Undercut Width:** 0.0930 inches **Body Diameter:** 1.453 inches **Shaft Diameter:** 0.250 inches **Shaft Length:** 0.688 inches **Body Length:** 2.660 inches **Mounting Lip Diameter:** 1.4530 inches **Mounting Lip Depth:** 0.0730 inches **Shaft Style:** Round, slotted **Shaft Bearing Type:** Ball **Actuator Type:** Double ended shaft **Effective Electrical Rotation In Deg Angular Rotation:** 360.0 **Maximum Starting Torque:** 2.80 inch-ounces **Maximum Running Torque:** 2.00 inch-ounces **Shaft End Play:** 0.00500 inches

Shaft Runout: 0.001 inches

NSN 5905-00-651-1642

Precision Wire Wound Variable Resistor - Page 2 of 3



Lateral Runout:
0.002 inches
Pilot Diameter Runout:
0.00200 inches
Shaft Radial Play:
0.002 inches
Terminal Location:
Radially positioned over less than half the circumference
Mounting Method:
Clamp ring
Electrical Resistance Per Section:
39.200 percent, rated amperes c and better v.G. Stepping
Tap Location From Ccw Terminal Per Section In Deg Of Effective Electrical Rotation:
180.0 2nd section
Rotary Actuator Travel In Angular Deg:
360.0
Function Conformity Tolerance Per Section:
-1.00/+1.00 3rd section
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
150.0 all sections
Power Dissipation Rating Per Section In Watts:
2.0 free air single section
Function Conformity Per Section:
All sections absolute linearity
Fixed Tap Quantity Per Section:
1 2nd section
Tap Location Tolerance Per Section:
-1.0/+1.0 degrees angular rotation 2nd section
Resistance Tolerance Per Section In Percent:
-5.0/+5.0 all sections
Actuator Travel Control Feature:
Continuous motion
Function Characteristic Per Section:
All sections linear
Tempurature Coefficient Of Resistance Wire Per Section In Ppm Per Deg Celsius:
-20.0/+20.0 all sections
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
40.0 all sections
Terminal Type And Quantity:
14 turret
Shelf Life:
N/a
Unit Of Measure:

٠

NSN 5905-00-651-1642

Precision Wire Wound Variable Resistor - Page 3 of 3



Demilitarization:

No

Fiig:

A002a0