## NSN 5905-00-652-3380

Inductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-652-3380 **Electrical Resistance:** 24.500 ohms **Resistance Tolerance In Percent:** -10.000/+10.000 lowest resistance value **Fixed Tap Quantity:** 38 Ambient Tempurature In Deg Celsius At Full Rated Power: 50.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 350.0 **Inclosure Method:** Encapsulated **Terminal Type:** Tab, solder lug **Body Length:** 9.625 inches **Body Width:** 5.250 inches **Body Height:** 0.500 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 9.625 inches **Power Dissipation Rating In Watts:** 25.000 free air Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.375 inches **Terminal Width:** 0.250 inches **Mounting Hole Size:** 0.281 inches **Special Features:** Mtg facilities are located on each end extending in a vertical plane above the body. 3 mtg holes on each end spaced per pac aaqu1a Style Designator: Terminals one side **Test Data Document:** 81349-mil-r-15109 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a **Unit Of Measure:** 

No

**Demilitarization:** 

## NSN 5905-00-652-3380

Inductive Wire Wound Fixed Resistor - Page 2 of 2



Fiig:

A001a0