NSN 5905-00-660-3844

Noninductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-660-3844

Electrical Resistance:
26.000 kilohms
Resistance Tolerance In Percent:
-1.000/+1.000
Ambient Tempurature In Deg Celsius At Full Rated Power:
25.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
125.0
Inclosure Method:
Encapsulated
Terminal Type:
Wire lead
Body Diameter:
0.375 inches
Body Length:
1.000 inches
Power Dissipation Rating In Watts:
1.000 free air
Special Features:
•
Plastic inclosure, resistant to humidity and salt water immersion
Plastic inclosure, resistant to humidity and salt water immersion
Plastic inclosure, resistant to humidity and salt water immersion Style Designator:
Plastic inclosure, resistant to humidity and salt water immersion Style Designator: Axial terminal each end
Plastic inclosure, resistant to humidity and salt water immersion Style Designator: Axial terminal each end Shelf Life:
Plastic inclosure, resistant to humidity and salt water immersion Style Designator: Axial terminal each end Shelf Life: N/a
Plastic inclosure, resistant to humidity and salt water immersion Style Designator: Axial terminal each end Shelf Life: N/a Unit Of Measure:
Plastic inclosure, resistant to humidity and salt water immersion Style Designator: Axial terminal each end Shelf Life: N/a Unit Of Measure:
Plastic inclosure, resistant to humidity and salt water immersion Style Designator: Axial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization:
Plastic inclosure, resistant to humidity and salt water immersion Style Designator: Axial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No
Plastic inclosure, resistant to humidity and salt water immersion Style Designator: Axial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:
Plastic inclosure, resistant to humidity and salt water immersion Style Designator: Axial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: