Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-660-3994

Section Quantity: 1 **Reliability Indicator:** Not established Shaft Diameter: 0.125 inches Shaft Length: 0.500 inches Mounting Bushing Length: 0.375 inches **Overall Diameter:** 0.750 inches Shaft Style: Round, slotted Actuator Type: Single shaft **Nonturn Device Location:** At 9 oclock **Nonturn Device Radius:** 0.375 inches **Screw Thread Diameter:** 0.250 inches **Screw Thread Series Designator:** Unef Screw Thready Qty Per Inch (tpi): 32.0 **Mounting Method:** Standard bushing **Features Provided:** Switch **Electrical Resistance Per Section:** 250.000 ohms single section **Resistance Tolerance Per Section In Percent:** -10.0 to 10.0 single section Switch Current Type And Rating In Amps: 5.000 ac/dc Standard Taper Curve Per Section: A single section **Terminal Type And Quantity:** 8 tab, solder lug Shelf Life:

N/a

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0