NSN 5905-00-676-9108

Body Style:

Cylindrical bushing mounted

Reliability Indicator:

Not established

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-676-9108

Section Quantity:

Body Diameter:
1.594 inches
Shaft Diameter:
0.250 inches
Shaft Length:
0.875 inches
Mounting Bushing Length:
0.375 inches
Body Length:
0.625 inches
Shaft Style:
Round, slotted
Actuator Type:
Single shaft
Nonturn Device Location:
At 9 oclock
Nonturn Device Radius:
0.531 inches
Screw Thread Diameter:
0.375 inches
Screw Thread Series Designator:
Screw Thread Series Designator: Unef
_
Unef
Unef Screw Thready Qty Per Inch (tpi):
Unef Screw Thready Qty Per Inch (tpi): 32.0
Unef Screw Thready Qty Per Inch (tpi): 32.0 Terminal Location:
Unef Screw Thready Qty Per Inch (tpi): 32.0 Terminal Location: Rear end
Unef Screw Thready Qty Per Inch (tpi): 32.0 Terminal Location: Rear end Mounting Method:
Unef Screw Thready Qty Per Inch (tpi): 32.0 Terminal Location: Rear end Mounting Method: Standard bushing
Unef Screw Thready Qty Per Inch (tpi): 32.0 Terminal Location: Rear end Mounting Method: Standard bushing Electrical Resistance Per Section:
Unef Screw Thready Qty Per Inch (tpi): 32.0 Terminal Location: Rear end Mounting Method: Standard bushing Electrical Resistance Per Section: 50.000 kilohms single section
Unef Screw Thready Qty Per Inch (tpi): 32.0 Terminal Location: Rear end Mounting Method: Standard bushing Electrical Resistance Per Section: 50.000 kilohms single section Power Dissipation Rating Per Section In Watts:
Unef Screw Thready Qty Per Inch (tpi): 32.0 Terminal Location: Rear end Mounting Method: Standard bushing Electrical Resistance Per Section: 50.000 kilohms single section Power Dissipation Rating Per Section In Watts: 4.0 free air single section
Unef Screw Thready Qty Per Inch (tpi): 32.0 Terminal Location: Rear end Mounting Method: Standard bushing Electrical Resistance Per Section: 50.000 kilohms single section Power Dissipation Rating Per Section In Watts: 4.0 free air single section Resistance Tolerance Per Section In Percent:

NSN 5905-00-676-9108

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Termi	nal Ty	pe And	Quantity:
3 tab,	solde	r lug	

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0